



SAFETY DATA SHEET LUXURY MEN EDT #5

SECTION 1: Identification of the substance/Preparation and of the company/Undertaking

1.1. Product identifier

Product name: LUXURY MEN EDT #5

1.2. Details of the manufacturer of the safety data sheet

sedayuca@tsmbrands.com.tr

300-2 Route 17 South, Unit D, Lodi, NJ 07644

Web: www.tsmbrands.com

1.3. Emergency telephone number

1-800-424-9300

1.4. National poison Information center

1-800-222-1222

SECTION 2: Hazards Identification

2.1. Classification of the substance or mixture

According to the Globally Harmonized System of Classification and labeling of Chemicals (GHS);

Eye Damage / Irritation Category 2B

Flammable Liquids Category 2

Signal Word DANGER

H225: Highly flammable liquid and vapor

H319: Causes serious eye irritation

2.2. Label elements

Globally Harmonized System, EU (GHS) Hazard Statements:

H225: Highly flammable liquid and vapor

H319: Causes serious eye irritation



GHS02

GHS07

Signal Word: DANGER

SAFETY DATA SHEET

LUXURY MEN EDT #5

Precautionary Statements

Keep container tightly closed
Keep away from heat/sparks/open flames/hot surfaces. — No smoking

Precautionary Statements - Response

In case of fire: Use water, CO₂, dry chemical, or foam for extinction
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
If eye irritation persists: Get medical advice/attention

Precautionary Statements – Storage: None

Precautionary Statements – Disposal : Dispose of contents/container to an approved waste disposal plant.

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.1. Substances; Not applicable 3.2. Mixtures;

Ingredients are listed according to 29CFR 1910.1200 Appendix D and the Canadian Hazardous Products Regulation

Substance or Mixture	Percentage by weight (%)	CAS NUMBER	EC NUMBER	Classification
Alcohol	%60-%80	64-17-5	200-578-6	Flam. Liq. category 2 H225, Eye Irrit. category 2 H319
Water/Eau (Aqua)	%10-%20	7732-18-5	231-791-2	N/A
Fragrance/Parfum	%5-%15	-	-	N/A
Ethylhexyl Methoxycinnamate	<%1	5466-77-3	226-775-7	N/A
Ethylhexyl Salicylate	<%1	118-60-5	204-263-4	N/A
Butyl Methoxydibenzoylmethane	<%1	70356-09-1	274-581-6	N/A
Benzophenone-3	<%1	131-57-7	205-031-5	N/A
Propylene Glycol	<%5	57-55-6	200-338-0	N/A
BHT	<%1	128-37-0	204-881-4	N/A
CI 15985	<%1	2783-94-0	220-491-7	N/A
CI 14720	<%1	3567-69-9	222-657-4	N/A
CI 19140	<%1	1934-21-0	217-699-5	N/A

*For full text of the H-Phrases indicated by codes see section 16 'Other Information'

SECTION 4: First aid measures

4.1 Description of first aid measures

Ingestion May cause discomfort if swallowed. Drink 1 or 2 glasses of water. If symptoms persist or recur, seek medical attention.

Eye Contact Flush thoroughly with water for 15 minutes. If symptoms persist or recur, seek medical attention.

Skin None under normal use.

Inhalation None under normal use.

4.2. Most important symptoms and effects, both acute and delayed Inhalation:

No specific symptoms known.

Ingestion May cause discomfort if swallowed.

Skin contact No specific symptoms known.

Eye contact Profuse watering of the eyes

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor No specific treatment. Treat symptomatically.

SAFETY DATA SHEET

LUXURY MEN EDT #5

SECTION 5: Fire fighting measures

5.1. Extinguishing media

Flammable properties

Flammable liquid and vapor

According to Regulation (EC) No 1272/2008

Suitable extinguishing media

Carbon dioxide (CO₂). Dry chemical. Alcohol resistant foam.

Unsuitable Extinguishing Media

Do not use a solid water stream as it may scatter and spread fire.

5.2. Special hazards arising from the substance or mixture

Special hazard

Fumes may catch fire

Flammable Properties

Upper Flammable Limit

N/A

Lower Flammable Limit

N/A

Explosive Limits

UEL:

N/A

LEL:

N/A

Auto-ignition Temperature

N/A

Hazardous Combustion Products

N/A

Explosion Data (Sensitivity to Mechanical Impact)

N/A

Explosion Data (Sensitivity to Static Discharge)

N/A

5.3. Advice for firefighters

Protective actions during firefighting; Avoid breathing fire gasses or vapors. Contain and collect extinguishing water. Move containers from fire area if it can be done without risk. Fight fire from a safe distance or protected location.

Special protective equipment for firefighters;

Use air-supplied respirator, gloves and protective goggles. Wear positive-pressure self contained breathing apparatus (SCBA) and appropriate protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet. Avoid contact with eyes and prolonged skin contact.

6.2. Environmental precautions

Environmental precautions Avoid discharge into drains or watercourses or onto the ground.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. See Section 11 for additional information on health hazards. For waste disposal, see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Keep away from open flames, hot surfaces and sources of ignition. Keep container closed when not in use. Never return spills in original containers for re-use. Use personal protective equipment as required. Keep out of the reach of children.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep containers upright. Keep away from food, drink and animal feeding stuffs. Protect from freezing and direct sunlight.

Store in a cool/low-temperature, well-ventilated, dry place away from heat and ignition sources.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SAFETY DATA SHEET

LUXURY MEN EDT #5

SECTION 8: Exposure control/Personal protection

8.1. Control parameters

<p>Recommended Exposure Guidelines</p> <p>Engineering Controls</p> <p>Personal Protective Equipment (PPE)</p> <p>Eye/Face Protection</p> <p>Industrial Setting</p> <p>Skin Protection</p> <p>Industrial Setting</p> <p>Respiratory Protection</p> <p>Ventilation Local Exhaust</p> <p>Special</p> <p>Industrial (General)</p> <p>Other</p>	<p>No data available.</p> <p>No special ventilation requirements. General room ventilation is adequate.</p> <p>N/A</p> <p>N/A</p> <p>Avoid contact with eyes. Safety glasses recommended in those cases where handling the undiluted product involves a risk of splashing.</p> <p>For splash protection, use chemical goggles. Eye wash fountain is recommended.</p> <p>None required with normal household use.</p> <p>Protective gloves (rubber, neoprene) should be used for prolonged direct contact.</p> <p>No special precautions for casual exposure.</p> <p>None required with normal consumer use.</p> <p>None</p> <p>Normal/general dilution ventilation is acceptable.</p> <p>None</p>
---	---

SECTION 9: Physical and chemical properties

Information on basic physical and chemical

Appearance	Liquid
Color	Characteristic
Odor	Characteristic
Solubility(ies)	Soluble in Alcohol.
Specific Gravity/Density 25°C:	0,85 - 0,87 ml/g
Viscosity , 25°C:	Not Available
PH	5,00 - 7,00 (25°C , ±0.2)
Flash point	22°C
Flammable Limits –Lower	Not Available
Flammable Limits -Upper	Not Available
Melting point	Not Available
Initial boiling point and range	Not Available
Vapour pressure	Not Available

SAFETY DATA SHEET

LUXURY MEN EDT #5

9.2. Other information

No information required.

SECTION 10: Stability and reactivity

10.1. Reactivity

There are no known reactivity hazards associated with this product.

10.2. Chemical stability

Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.

10.3. Possibility of hazardous reactions

None

10.4. Conditions to avoid

Conditions to avoid Avoid exposure to high temperatures or direct sunlight. Avoid freezing. Keep away from open flames, hot surfaces and sources of ignition.

10.5. Incompatible materials

Materials to avoid No specific material or group of materials is likely to react with the product to produce a hazardous situation.

10.6. Hazardous decomposition products

Carbon monoxide (CO). Carbon dioxide (CO₂).

SECTION 11: Toxicological information

11.1. Information on toxicological effects Potential

Health Effects

Skin

Health injuries are not expected under normal use.

Ingestion

Health injuries are not expected under normal use.

Inhalation

Health injuries are not expected under normal use.

Eyes

Profuse watering of the eyes

Toxicity

Acute oral toxicity

Numeric measures of toxicity: Not determined.

Acute dermal toxicity

Not determined.

Acute inhalation toxicity

Not determined.

Sensitization

Not determined.

Carcinogenicity

This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.

Ingredients Information

	Acute oral toxicity	Acute inhalation toxicity	Acute dermal toxicity
Ethanol	10470 mg/kg bw Rat	124.7 mg/l air , 4h, Rat	-
BHT 2,6-di-tert-butyl-p-cresol (cas 128-37-0)	LD50 oral rat 6000 mg/kg rat	-	LD50 dermal rat >2000 mg/kg Rat

Specific target organ toxicity:

For Alcohol (Ethanol);

Route of exposure	Parameter	Value	Organ	Effect	Exposure time	Species	Gender	Value determinaoon
Oral	LOAEL	4ml/kg/day	Kidney	Weight changes	14 week(s)	Rat	Male/ female	Experimental value
Dermal	Not relevant, expert judgement							
Inhalation	NOAEL	>20 mg/l air	Liver	No effect	26 day(s)	Rat	Male	Experimental value

SAFETY DATA SHEET

LUXURY MEN EDT #5

SECTION 12: Ecological information

Environment	This product is not anticipated to cause adverse effects to animal or plant life if released to the environment in small quantities. Not expected to bioaccumulate.
Ecotoxicity	No information available.
Bioaccumulation	No information available.
Persistence/ Degradability	No information available.
Aquatic toxicity	No testing has been performed by the manufacturer.
Hazards Ingredients	
Sodium lauryl ether sulfate;	
Acute toxicity - fish LC ₅₀ , 96 hours: LC ₅₀ >10-<=100 mg product. Acute toxicity – aquatic invertebrates	
EC ₅₀ , 48 hours: EC ₅₀ >10-<=100mg, Daphnia magna Acute toxicity – aquatic plants	
IC ₅₀ , 72 hours: EC ₅₀ >10-<=100mg Algae	
Behaviour in environmental systems	Not determined
Ecotoxicological effects	Not determined
Behaviour in sewage processing plants	Not determined
Other adverse effects	No further relevant information available.

SECTION 13: Disposal consideration

13.1. Waste treatment methods

Waste from Residues/Unused Products :

Products covered by this MSDS, in their original form, when disposed as waste, are ignitable hazardous waste, D001, according to Federal RCRA regulations(40 CFR 261).

Contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

California Hazardous Waste Codes (non-household setting) : 331

Disposal Recommendations

Products covered by this SDS, in their original form, when disposed from a commercial facility as waste, are ignitable hazardous waste, D001, according to Federal RCRA regulations(40 CFR 261). Disposal should be in accordance with Local, State and Federal regulations.

SECTION 14: Transport information

General:	The product is not covered by international regulations on the transport of dangerous goods. (IMDG, IATA, ADR/RID).
DOT	
UN/ID no :	UN1266
Proper shipping name:	PERFUMERY PRODUCTS
Hazard Class:	3
Packing Group:	II
Description:	UN1266, Perfumery products, 3, II
Emergency Response Guide Number:	127
TDG	
UN/ID no:	UN1266
Proper shipping name:	PERFUMERY PRODUCTS
Hazard Class:	3
Packing Group:	II
Description:	UN1266, Perfumery products, 3, II

SAFETY DATA SHEET

LUXURY MEN EDT #5

MEX
UN/ID no : UN1266
Proper shipping name: PERFUMERY PRODUCTS
Hazard Class: 3
Packing Group: II
Description: UN1266, Perfumery products, 3, II

IATA
UN/ID no: UN1266
Proper shipping name: PERFUMERY PRODUCTS
Hazard Class: 3
Packing Group: II
ERG Code : 3L
Description: UN1266, Perfumery products, 3, II

ICAO
UN/ID no : UN1266
Proper shipping name: PERFUMERY PRODUCTS
Hazard Class: 3
Packing Group: II
Description: UN1266, Perfumery products, 3, II

IMDG
UN/ID no: UN1266
Proper shipping name: PERFUMERY PRODUCTS
Hazard Class: 3
Packing Group: II
EmS-No: F-E, S-D
Description: UN1266, Perfumery products, 3, II

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture International Inventories at CAS# Level

U.S. Federal Regulations

SARA 313: Not applicable for consumer use

CERCLA: Not applicable for consumer use.

Food and Drug Administration (FDA): The product described in this Safety Data Sheet is regulated under the Federal Food, Drug, and Cosmetics Act and is safe to use as per directions on container, box or accompanying literature (where applicable) **Clean Air Act, Section 112**

Hazardous Air Pollutants

(HAPs) (see 40 CFR 61) Not applicable for consumer use

Clean Water Act Not applicable for consumer use

California Proposition 65 This product is not subject to warning labeling under California Proposition 65.

U.S. State Regulations (RTK) Not applicable for consumer use.

International Inventories

United States Product is a personal care product and regulated under FDA.

Canada This product is in compliance with CEPA for import by P&G.

Legend United States Toxic Substances Control Act Section 8(b)

Inventory (TSCA)

CEPA(Canadian Environmental Protection Act) Perfumes contained with the products comply with appropriate IFRA guidance.

SAFETY DATA SHEET

LUXURY MEN EDT #5

SECTION 16: Other information

History:

Issue Date	March, 20/2021
Revision Date	0
Revision number	0
Revision note	None
Flammability	0
Instability	0

Risk phrases in section 3

Flam. Liq. category 2 H225: Highly flammable liquid and vapour.

Eye Irrit. category 2 H319: Causes serious eye irritation.

Precautionary Statements

Keep container tightly closed

Keep away from heat/sparks/open flames/hot surfaces. — No smoking

Precautionary Statements - Response

In case of fire: Use water, CO2, dry chemical, or foam for extinction

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists Get medical advice/attention

Precautionary Statements-Storage: None

Precautionary Statements-Disposal: Dispose of contents/container to an approved waste disposal plant.

Key to abbreviations:

ATE	Acute Toxicity Estimate
BCF	Bioconcentration Factor
CAS Number	Chemical Abstracts Service Registry Number
GHS	Globally Harmonized System of Classification and Labelling of Chemicals
HPR	Hazardous Products Regulations
IATA	International Air Transport Association
IBC	Intermediate Bulk Container
IMDG	International Maritime Dangerous Goods
D.O.T.	Department of Transportation (US)
LogPow	Logarithm of the octanol/water partition coefficient
MARPOL	International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation 1907/2006]
SARA	Superfund Amendments and Reauthorization Act (US)
OSHA	Occupational Safety and Health Administration (US)
EU	European Union
FDA	Food and Drug Administration (US)
UN	United Nations
N/A.	Not Applicable
N/K.	Not Known
N.D.A.	No Data Available

SAFETY DATA SHEET

LUXURY MEN EDT #5

DISCLAIMER: The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and it is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or any process, unless specified in the text.