

# SAFETY DATA SHEET LUXURY WOMEN EDT #20

## SECTION 1: Identification of the substance/Preparation and of the company/Undertaking

#### 1.1. Product identifier

Product name: LUXURY MEN EDT #19

## 1.2. Details of the manufacturer of the safety data sheet

sedayuca@tsmbrands.com.tr

300-2 Route 17 South, Unit D, Lodi, NJ 07644

Web: www.tsmbrands.com

1.3. Emergency telephone number

1-800-424-9300

#### 1.4. National poison Information center

1-800-222-1222

## **SECTION 2: Hazards Identification**

#### 2.1. Classification of the substance or mixture

According to the Globally Harmonized System of Classification and labeling of Chemicals (GHS);

Eye Damage / IrritationCategory  $2B \square$ Flammable LiquidsCategory  $2 \square$ Signal WordDANGER

H225 Highly flammable liquid and vapor H319Causes serious eye irritation

## 2.2. Label elements

## Globally Harmonized System, EU (GHS) Hazard Statements:

H225 Highly flammable liquid and vapor H319Causes serious eye irritation



GHS02 GHS07 Signal Word: DANGER

## GBF No 6750

# SAFETY DATA SHEET LUXURY WOMEN EDT #20

## **Precautionary Statements**

Keep container tightly closed

Keep away from heat/sparks/open flames/hot surfaces. — No smoking

#### **Precautionary Statements - Response**

In case of fire: Use water, CO2, dry chemical, or foam for extinction

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing

If eye irritation persists: Get medical advice/attention

Precautionary Statements - Storage: None

Precautionary Statements - Disposal: Dispose of contents/container to an approved waste disposal plant.

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

## **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances; Not applicable 3.2. Mixtures;

Ingredients are listed according to 29CFR 1910.1200 Appendix D and the Canadian Hazardous Products Regulation

Substance or Mixture	Percentage by weight (%)	CAS NUMBER	EC NUMBER	Classification		
Alcohol	%60-%80	64-17-5	200-578-6	Flam. Liq. category 2 H225, Eye Irrit. category 2 H319		
Water/Eau (Aqua)	%10-%20	7732-18-5	231-791-2	N/A		
Fragrance/Parfum	%5-%15	-	-	N/A		
Ethylhexyl Methoxycinnamate	<%1	5466-77-3	226-775-7	N/A		
Ethylhexyl Salicylate	<%1	118-60-5	204-263-4	N/A		
Butyl Methoxydibenzoylmethane	<%1	70356-09-1	274-581-6	N/A		
Benzophenone-3	<%1	131-57-7	205-031-5	N/A		
Propylene Glycol	<%5	57-55-6	200-338-0	N/A		
ВНТ	<%1	128-37-0	204-881-4	N/A		
Cl 15985	<%1	2783-94-0	220-491-7	N/A		
Cl 45100	<%1	3520-42-1	222-529-8	N/A		
Cl 16035	<%1	25956-17-6	247-368-0	N/A		

<sup>\*</sup>For full text of the H-Phrasesndicated by codes see section 16 'Other Information'

## **SECTION 4:First aid measures**

Ingestion

Skin contact

Eye contact

#### 4.1 Description of first aid measures

Ingestion May cause discomfort if swallowed. Drink 1 or 2 glasses of water. If symptoms persist or

recur, seek medical attention.

Eye Contact Flush thoroughly with water for 15 minutes. If symptoms persist or recur, seek medical

attention.

**Skin** None under normal use.

Inhalation None under normal use. .

## ${\bf 4.2.\ Most\ important\ symptoms\ and\ effects,\ both\ acute\ and\ delayed\ Inhalation:}$

No specific symptoms known.

May cause discomfort if swallowed.

No specific symptoms known.

Profuse watering of the eyes

#### 4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor No specific treatment. Treat symptomatically.

## **LUXURY WOMEN EDT #20**

#### **SECTION 5: Fire fighting measures**

5.1. Extinguishing media

Flammable properties Flammable liquid and vapor

According to Regulation (EC) No 1272/2008

Suitable extinguishing mediaCarbon dioxide (CO2). Dry chemical. Alcohol resistant foam.Unsuitable Extinguishing MediaDo not use a solid water stream as it may scatter and spread fire.

5.2. Special hazards arising from the substance or mixture

Special hazard Fumes may catch fire

Flammable Properties

Upper Flammable Limit: N/A
Lower Flammable Limit: N/A **Explosive Limits** 

UEL: N/A

LEL: N/A

Auto-ignition Temperature N/A

Hazardous Combustion Products N/A

Explosion Data (Sensitivity to Mechanical Impact) N/A

Explosion Data (Sensitivity to Static Discharge) N/A

5.3.Advice for firefighters

Protective actions during firefighting; Avoid breathing fire gasses or vapors. Contain and collect extinguishing water. Move containers from fire area if it can be done without risk. Fight fire from a safe distance or protected location.

## $Special\ protective\ equipment\ for\ firefighters;$

Use air-supplied respirator, gloves and protective goggles. Wear positive-pressure self contained breathing apparatus (SCBA) and appropriate protective clothing.

#### **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet. Avoid contact with eyes and prolonged skin contact.

6.2. Environmental precautions

Environmental precautions Avoid discharge into drains or watercourses or onto the ground.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. See Section 11 for additional information on health hazards. For waste disposal, see section 13.

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

Keep away from open flames, hot surfaces and sources of ignition. Keep container closed when not in use. Never return spills in original containers for re-use. Use personal protective equipment as required. Keep out of the reach of children.

#### 7.2. Conditions for safe storage, including any incompatibilities

Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep containers upright. Keep away from food, drink and animal feeding stuffs. Protect from freezing and direct sunlight.

Store in a cool/low-temperature, well-ventilated, dry place away from heat and ignition sources.

## 7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

## **LUXURY WOMEN EDT #20**

## **SECTION 8: Exposure control/Personal protection**

8.1. Control parameters

No data available.

Recommended Exposure Guidelines: No special ventilation requirements. General room ventilation is adequate.

Eye/Face Protection: Avoid contact with eyes. Safety glasses recommended in those cases where

handling the undiluted product involves a risk of splashing.

**Industrial Setting:** For splash protection, use chemical goggles. Eye wash fountain is recommended.

**Skin Protection:** None required with normal household use.

Industrial Setting: Protective gloves (rubber, neoprene) should be used for prolonged direct contact.

**Respiratory Protection:**No special precautions for casual exposure. **Ventilation Local Exhaust:**None required with normal consumer use.

Special: None

Industrial (General): Normal/general dilution ventilation is acceptable.

Other: None

## **SECTION 9: Physical and chemical properties**

## Information on basic physical and chemical

Appearance	Liquid		
Color	Characteristic		
Odor	Characteristic		
Solubility(ies)	Soluble in Alcohol.		
Specific Gravity/Density 25°C:	0,85 - 0,87 ml/g		
Viscosity , 25°C:	Not Available		
РН	5,00 - 7,00 (25°C , ±0.2)		
Flash point	22°C		
Flammable Limits –Lower	Not Available		
Flammable Limits -Upper	Not Available		
Melting point	Not Available		
Initial boiling point and range	Not Available		
Vapour pressure	Not Available		

## **LUXURY WOMEN EDT #20**

#### 9.2. Other information

No information required.

## **SECTION 10: Stability and reactivity**

10.1. Reactivity

There are no known reactivity hazards associated with this product.

10.2. Chemical stability

Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed

storage conditions.

10.3. Possibility of hazardous reactions

None

10.4. Conditions to avoid

Conditions to avoid Avoid exposure to high temperatures or direct sunlight. Avoid freezing.

Keep away from open flames, hot surfaces and sources of ignition.

10.5. Incompatible materials

Materials to avoid No specific material or group of materials is likely to react with the

product to produce a hazardous situation.

10.6. Hazardous decomposition products

Carbon monoxide (CO). Carbon dioxide (CO2).

#### **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects Potential

**Health Effects** 

Skin:Health injuries are not expected under normal use.Ingestion:Health injuries are not expected under normal use.Inhalation:Health injuries are not expected under normal use.

**Eyes:** Profuse watering of the eyes

Toxicity

Acute oral toxicity: Numeric measures of toxicity: Not determined.

Acute dermal toxicity:Not determined.Acute inhalation toxicity:Not determined.Sensitization:Not determined.

Carcinogenicity: This product does not contain any carcinogens or potential carcinogens as

listed by OSHA, IARC or NTP.

**Ingredients Information** 

	Acute oral toxicity	Acute inhalation toxicity	Acute dermal toxicity		
Ethanol	10470 mg/kg bw Rat	124.7 mg/l air , 4h, Rat	-		
ВНТ	LD50 oral rat 6000 mg/kg rat	-	LD50 dermal rat >2000 mg/kg Rat		
2,6-di-tert-butyl-p-cresol (cas 128-37-0)					

## Specific target organ toxicity:

#### For Alcohol (Ethanol);

Route of exposure	Parameter	Value	Organ	Effect	Exposure time	Species	Gender	Value determinaon
Oral	LOAEL	4ml/kg/day	Kidney	Weight changes	14 week(s)	Rat	Male/ female	Experimental value
Dermal	Not relevant, expert judgement							
Inhalation	NOAEL	>20 mg/l air	Liver	No effect	26 day(s)	Rat	Male	Experimental value

## **LUXURY WOMEN EDT #20**

#### **SECTION 12: Ecological information**

**Environment** This product is not anticipated to cause adverse effects to animal or plant life if released to

the environment in small quantities. Not expected to bioaccumulate.

EcotoxicityNo information available.BioaccumulationNo information available.Persistence/ DegradabilityNo information available.

Aquatic toxicity No testing has been performed by the manufacturer.

**Hazards Ingredients**Sodium lauryl ether sulfate;

Acute toxicity - fish LC50, 96 hours: LC50>10-<=100 mg product. Acute toxicity

- aquatic invertebrates

EC50,48 hours: EC50>10-<=100 mg, Daphnia magna Acute

toxicity - aquatic plants

ICs, 72 hours: EC50>10-<=100mg Algae

 Behaviour in environmental systems
 Not determined

 Ecotoxical effects
 Not determined

 Behaviour in sewage processing plants
 Not determined

Other adverse effects No further relevant information available.

## **SECTION 13: Disposal consideration**

#### 13.1. Waste treatment methods

#### Waste from Residues/Unused Products:

Products covered by this MSDS, in their original form, when disposed as waste, are ignitable hazardous waste, D001, according to Federal RCRA regulations(40 CFR 261).

## Contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

California Hazardous Waste Codes (non-household setting): 331

## Disposal Recommendations

Products covered by this SDS, in their original form, when disposed from a commercial facility as waste, are ignitable hazardous waste, D001, according to Federal RCRA regulations(40 CFR 261). Disposal should be in accordance with Local, State and Federal regulations.

#### **SECTION 14: Transport information**

General: The product is not covered by international regulations on the transport of dangerous

goods. (IMDG, IATA, ADR/RID).

DOT

UN/ID no: UN1266

Proper shipping name: PERFUMERY PRODUCTS

Hazard Class: 3
Packing Group: II

Description: UN1266, Perfumery products, 3, II

Emergency Response Guide Number: 127

TDG

UN/ID no: UN1266

Proper shipping name: PERFUMERY PRODUCTS

Hazard Class: 3
Packing Group: II

Description: UN1266, Perfumery products, 3, II

## **LUXURY WOMEN EDT #20**

MEX

UN/ID no: UN1266

Proper shipping name: PERFUMERY PRODUCTS

Hazard Class: 3
Packing Group: II

Description: UN1266, Perfumery products, 3, II

IATA

UN/ID no: UN1266

Proper shipping name: PERFUMERY PRODUCTS

Hazard Class: 3
Packing Group: II
ERG Code: 3L

Description: UN1266, Perfumery products, 3, II

**ICAO** 

UN/ID no: UN1266

Proper shipping name: PERFUMERY PRODUCTS

Hazard Class: 3
Packing Group: II

Description: UN1266, Perfumery products, 3, II

**IMDG** 

UN/ID no: UN1266

Proper shipping name: PERFUMERY PRODUCTS

Hazard Class: 3
Packing Group: II

EmS-No: F-E, S-D

Description: UN1266, Perfumery products, 3, II

## **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture International

## Inventories at CAS# Level

**U.S. Federal Regulations** 

SARA 313: Not applicable for consumer use CERCLA: Not applicable for consumer use.

Food and Drug Administration (FDA):

The product described in this Safety Data Sheet is regulated under the Federal

Food, Drug, and Cosmetics Act and is safe to use as per directions on container, box

or accompanying literature (where applicable) Clean Air Act, Section 112

**Hazardous Air Pollutants** 

(HAPs) (see 40 CFR 61): Not applicable for consumer use Clean Water Act: Not applicable for consumer use

California Proposition 65: This product is not subject to warning labeling under California Proposition 65.

U.S. State Regulations (RTK): Not applicable for consumer use.

**International Inventories:** 

United States:

Product is a personal care product and regulated under FDA.

Canada:

This product is in compliance with CEPA for import by P&G.

Legend: United States Toxic Substances Control Act Section 8(b)

Inventory (TSCA)

CEPA(Canadian Environmental Protection Act): Perfumes contained with the products comply with appropriate IFRA guidance.

## **LUXURY WOMEN EDT #20**

#### **SECTION 16: Other information**

History

Issue Date March, 20/2021

 Revision Date
 0

 Revision number
 0

 Revision note
 None

 Flammability
 0

 Instability
 0

## Risk phrases in section 3

Flam. Liq. category 2 H225: Highly flammable liquid and vapour.

Eye Irrit. category 2 H319: Causes serious eye irritation.

#### **Precautionary Statements**

Keep container tightly closed

Keep away from heat/sparks/open flames/hot surfaces. — No smoking

**Precautionary Statements - Response** 

In case of fire: Use water, CO2, dry chemical, or foam for extinction

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention

Precautionary Statements-Storage: None

Precautionary Statements-Disposal: Dispose of contents/container to an approved waste disposal plant.

#### Key to abbreviations:

ATE Acute Toxicity Estimate BCF Bioconcentration Factor

CAS Number Chemical Abstracts Service Registry Number

GHS Globally Harmonized System of Classification and Labelling of Chemicals

HPR Hazardous Products Regulations
IATA International Air Transport Association
IBC Intermediate Bulk Container

IMDG International Maritime Dangerous Goods
D.O.T. Department of Transportation (US)

LogPow Logarithm of the octanol/water partition coefficient

MARPOL International Convention for the Prevention of Pollution From Ships,1973 as modified by the

Protocol of 1978. ("Marpol" = marine pollution)

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation 1907/2006]

SARA Superfund Amendments and Reauthorization Act (US)
OSHA Occupational Safety and Health Administration (US)

EU European Union

FDA Food and Drug Administration (US)

UN United Nations
N/A. Not Applicable
N/K. Not Known
N.D.A. No Data Available

# **LUXURY WOMEN EDT #20**

**DISCLAIMER:** The information provided in this Safety Date Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and it is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or any process, unless specified in the text.